



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 2
290 BROADWAY
NEW YORK, NY 10007-1866

June 8, 2004

CERTIFIED MAIL, RETURN RECEIPT REQUESTED

Atlantic Building Products Company, Inc.
c/o Cohen & Siegel
15 Beach Street
Staten Island, NY 10304

Re: Request for Information Pursuant to Section 104 of CERCLA
for Cornell-Dubilier Electronics, Inc. Site in Middlesex
County, New Jersey.

Dear Sir/Madam:

By letter dated March 29, 2004, the United States Environmental Protection Agency ("EPA") sent a Request for Information addressed to you regarding the above-referenced Superfund site. Our records indicate that you received the letter on April 2, 2004, making your response due on May 3, 2004. To date, EPA has not received a response.

This will advise that you are required to submit a complete response to the Request for Information within fifteen (15) calendar days of receiving this letter. If EPA does not receive a response by that date, EPA may initiate enforcement action against you for failure to respond. Civil penalties of up to \$27,500 may be assessed for each day of non-compliance.

Your response should be mailed to:

Sarah Flanagan, Esq.
Office of Regional Counsel
U.S. Environmental Protection Agency, Region II
290 Broadway, 17th Floor
New York, New York 10007

369753




A copy should be mailed to:

Mr. Peter Mannino
Emergency and Remedial Response Division
U.S. Environmental Protection Agency, Region II
290 Broadway, 19th Floor
New York, New York 10007

If you have any questions regarding this Request for Information, or would like to discuss this matter with EPA, please contact Mr. Mannino at 212-637-4395. If you are represented by counsel, your attorney should contact me at 212-637-3136.

Sincerely,

A handwritten signature in cursive script that reads "Sarah P. Flanagan". The signature is written in dark ink and is positioned above the printed name and title.

Sarah P. Flanagan
Assistant Regional Counsel